



# BUILT TO EXPLORE



[zodiac-nautic.com](http://zodiac-nautic.com)





@ZodiacNautic



@Zodiac\_Nautic



@ZodiacNautic



It isn't exclusive to explorers  
who go to the ends of the earth.

Adventure can be as simple as a fishing  
trip with your children or a trip to the sea  
at sunset.


The key is knowing how to retain  
the childlike spirit you had growing up,  
when you dreamed of exploring the world.


## **ADVENTURE IS MORE THAN JUST A WORD. IT'S AN EMOTION**

It's that feeling when you weigh anchor,  
leave the port or discover a cove.

At ZODIAC, we build sturdy, versatile,  
reliable vessels that are designed  
for exploration but tailored to your  
experiences.

# **STOP DREAMING OF ADVENTURE LIVE IT!**





125 years of experience and inventor of the inflatable boat, Zodiac Nautic offers products with exceptional resistance and reliability thanks to materials and manufacturing processes that are always at the cutting edge of technology.

World-renowned French brand.  
founded in 1896  
Manufacturer of airships

1920: First shuttles for the French Navy  
(transport of shells and ammunition)

1952: Alain Bombard's Atlantic crossing on board the Hérétique

1960: Development of boating and inflatable boats for the public (leisure boom)

2006

2007: Largest turnover in ZODIAC's history (€80bn)

2015: Zodiac Nautic is taken over by three French industrialists: Dominique Heber-Suffrin.

Pierre Bastid & Florent Batistella

2017: Launch of the eJET 450, the first electric tender with a water jet for the tender market

2021: Launch of an electric range

zodiac-nautic.com

HISTOIRE

# BUILT TO EXPLORE

# FREEDOM



## BUILT TO SECURE

The tubes of a Zodiac boat have several compartments separated by watertight partitions. Thanks to its large air supply, the boat retains its buoyancy and remains conceptually unsinkable when fully loaded, even with a deflated compartment.

## BUILT TO STABILIZE

The buoyancy distributed around the edges, combined with a very low centre of gravity, ensures a stability that makes Zodiac boats almost impossible to capsize when loaded!

## BUILT TO RESIST

Zodiac carefully selects the materials that are used to build its boats according to a strict set of specifications that guarantee an exceptional standard of quality. Zodiac Nautic is probably the only manufacturer to put its new boats through a rigorous series of sailing tests in extreme conditions. Rest assured, your Zodiac Nautic boat will accompany you everywhere and for a long time.

QUALITY

## THE REMOVABLE TUBE. A CONCEPT BY ZODIAC NAUTIC

The tube acts as a bumper and prevents your boat from being damaged during manoeuvres.

Available on most of our models, the tube is equipped with a bolt rope that slots into a groove in the hull. Sealing is ensured by pressurising the tube. Fully removable, the tube can be dismantled and folded for easy maintenance, repair, transport and storage.

## CHANGING THE TUBE?

Nothing could be simpler; the tubes can be replaced independently of the hulls, ideal for renovating or giving your boat a new look at low cost.



# RANGES

## DIVERSITY

At Zodiac, we design boats to withstand all conditions and for all uses. Whatever your needs, we have the model with the right profile for you.



YOU CAN NOW CREATE  
YOUR OWN CUSTOMISED MODEL  
USING OUR CONFIGURATOR.



## PRO

P.10



420  
500  
5.5  
6.5  
7  
850

## OPEN

P.16



3.1  
3.4  
4.2  
4.8  
5.5  
6.5



# MEDLINE

P.22



500  
580  
6.8  
7.5  
9

# eJET

ELECTRIC

P.28



• 450

# Yachtline

P.32



# Tenders

P.34



# BUILT TO EXPLORE *YOUR* CHALLENGES



Popular with everyone, the PROs are equipped with a “platform” deck that offers multiple arrangement possibilities depending on the application. Their removable tube makes them easy to maintain and a real all-rounder.

# ORR



SIZES



**PRO RANGE**

# ADVENTURER AT HEART




**PRACTICALITY - ADAPTABILITY - DESIGN**

Whether diving, fishing or underwater hunting,  
you can choose and design your boat according to  
your preferences:  
**YOUR PRO WILL FIT PERFECTLY!**

**CONFIGURE  
YOUR OWN**





# IGN CHOICES – CUSTOMISED EQUIPMENT



DOWNLOAD  
THE DATA SHEETS  
HERE





**PRO 420**



**PRO 500**



**PRO 5.5**

External inside length (m)	4.20/2.90	4.70/3.38	5.40/4.25
External inside width (m)	1.90/0.95	2.05/1.05	2.54/1.39
Weight (kg)	181	230	430
Number of passengers	7	9	12
Max. power (HP)	50	70	115
Tank (litres)			100

## STANDARD EQUIPMENT\*

- Standard equipment
- Flat deck
- Customisable boat
- Over 200 pieces of equipment available
- Deep V-shaped polyester hull
- Removable tube with grab lines and handholds
- Integrated tank
- Anchor locker
- Ladder





**PRO 6.5**

**PRO 7**

**PRO 850**

6.1/4.94

6.75/5.71

8.50/7.45

2.54/1.39

2.54/1.39

3/1.85

610

790

1450

15

16

25

175

250 - 2x130

350 - 2x250

200

200

400

## MAIN OPTIONS

- T-TOP
- Bow cushion
- Roll bar
- Rail
- Bathing deck
- Fusion audio kit
- Covers
- Turboswing
- Console extension
- Footrest
- Extra seats
- Ski mast



# BUILT TO EXPLORE *WITHOUT* LIMITS




Open up a world of possibilities with the iconic OPEN range. Its adaptability and versatility make it the ideal companion for all your activities while living your passion to the full.



# ZEPHO

## SIZES



OPEN RANGE

# THE ALL-IN-ONE PACKAGE



PERFORMANCE - VERSATILITY

Discover infinite possibilities! The OPEN range offers a perfect balance between performance and comfort. This versatile boat series can be transformed to suit all your favorite water-bound adventures.

**CONFIGURE  
YOUR OWN**





**TY - STORAGE - MULTI-ACTIVITY**



**DOWNLOAD  
THE DATA SHEETS  
HERE**





**OPEN 3.1'**



**OPEN 3.4'**



**OPEN 4.2**

External inside length (m)	3.1/2	3.4/2.45	4.2/2.7
External inside width (m)	1.65/0.71	1.7/1.1	1.9/1.05
Weight (kg)	135	155	270
Number of passengers	4	4	6
Max. power (HP)	30	30	60
Tank (litres)	24	24	46

## STANDARD EQUIPMENT\*

### From 3.1 to 4.8

- Removable tube with anti-slip patches and double grab lines
- Polyester bow roller with navigation lights
- Bow seat with cushion
- Console with windscreen, grab rail and locker
- Two comfortable seats
- 2-seater bench with backrest
- Locker under bench

### From 5.5 to 6.5

- Removable tube with anti-slip patches and double grab lines
- Polyester bow roller with navigation lights
- Bow seat with cushion
- Fully-equipped cockpit
- Console with windscreen and grab rail
- Large locker ideal for storing nautical equipment and fishing rods.
- Two-seater bolster with locker
- Aft bench seat with comfortable backrests and storage
- Integrated rod holder and cooler





**OPEN 4.8**



**OPEN 5.5<sup>2</sup>**



**OPEN 6.5<sup>2</sup>**

4.7/2.92

5.40/4.22

6.10/4.94

2.05/1.05

2.54/1.39

2.54/1.39

305

585

610

6

12

15

80

130

175

46

100

200

## MAIN OPTIONS

- Bow sun deck
- Backrest bolster
- T-TOP
- Roll bar
- Platforms
- EVA deck mica
- Fusion Audio Kit






### OPEN

1. Available in electric version  
See p.42 for more information.



2. Gulfstream series available. See page 42 for more information.



# BUILT TO EXPLORE

WITH FRIENDS AND FAMILY



Discover the Medline Range!  
Designed as THE ultimate pleasure boat, it will delight your family and friends for unforgettable, long excursions.



# NEW NEW NEW NEW NEW NEW NEW NEW

## SIZES



MEDLINE RANGE

# ULTIMATE PLEASURE



CONVIVIALITY - RELAXATION - P

What if you had your own private beach? With its exceptional versatility, the Medline range allows you to transform your deck into a real sunbathing area. Indulge in a moment of peace and quiet on its quality upholstery, escape for a lunch with friends or go for a dip with the family.

**CONFIGURE  
YOUR OWN**







**- PLEASURE - SHARING**



**DOWNLOAD  
THE DATA SHEETS  
HERE**





## MEDLINE 500

## MEDLINE 580

External inside length (m)	5/4.06	5.80/4.91
External inside width (m)	2.24/1.25	2.54/1.44
Weight (kg)	353	601
Number of passengers	9	12
Max. power (HP)	80	115
Tank (litres)	90	90

## STANDARD EQUIPMENT\*

- XXL double bow and aft recreation area
- Cosy u-shaped aft cabin
- Large bow sun deck
- User-friendly cockpit
- Latest generation console with locker and bow seat
- Two-position bolster with backrests
- Minimum 3 storage lockers
- High-quality dual-material upholstery
- Removable tube with handholds
- Options: available packages adapted to the desired programme.





**MEDLINE 6.8**



**MEDLINE 7.5**



**MEDLINE 9**

6.88/6.34

7.34/6.16

8.90/8.2

2.54/1.39

2.90/1.67

3.06/1.86

950

1150

1850

14

16 (C) - 6 (B)

20 (C) - 8 (B)

250

300

1x450 / 2x350

200

300

400



# BUILT TO EXPLORE NEW HORIZONS



The boat of the future already exists. Discover the first 100% electric Zodiac. Created in collaboration with Torqeedo, the leader in marine electric propulsion. The eJET has a range of 90 minutes at 25 knots, up to 8 hours at 5 knots and can reach a maximum speed of 30 knots.

# TESE



1h30  
25 n.



Length 4.5m  
Width 2m



30 n.



50 kw / 80i




6+1



10h

eJET RANGE - ELECTRIC

# FULL ELECTRIC PROWESS




OIL-FREE - PETROL-FREE


In addition to its outstanding technological performance, the eJET benefits from one of the most refined finishes on the market with extremely high quality tubes and Serge Ferrari® upholstery. 100% electric, it requires no maintenance.

**CONFIGURE  
YOUR OWN**





**FREE - MAINTENANCE-FREE**



**DOWNLOAD  
THE DATA SHEETS  
HERE**



# PREMIUM YACHTING



PRESTIGE TENDER  
COMPACTNESS  
COMFORT ON BOARD



## 360

External/inside length (m)	3.60/2.00
External/inside width (m)	1.77/0.86
Weight (kg)	200
Number of passengers	4
Max. power (HP)	40
Tank (litres)	35

DOWNLOAD  
THE DATA SHEETS  
HERE





# YACHTLINE



## STANDARD EQUIPMENT\*

- Standard equipment
- Polyester bow roller
- Bow seat with cushion
- User-friendly console with locker
- 2 bow seats and on the console side
- A comfortable aft bench with locker
- Polyester wings on both sides
- Courtesy lights

\*Depending on model and size

## MAIN OPTIONS

- Backrests
- Cover
- Wind deflector
- Slings
- EVA deck
- Grab handle



**400**

4.00/2.40

1.77/0.86

218

5

50

35



**440**

4.40/2.80

1.86/0.94

273

6

50

57



**490**

4.90/2.98

2.05/1.05

390

9

90

85



TENDER RANGE

# CADET & CADET RIB ALU



DOWNLOAD  
THE DATA SHEETS  
HERE



# TENDERS



## DECK TYPES OF THE CADET RANGE

200	230	270	310	350
Aero	Aero	Aero	Aero	Aero
Roll-Up	Roll-Up	Roll-Up	×	×
×	×	Alu	Alu	Alu



**Aero**

High-pressure inflatable



**Roll-Up**

With slats. can be rolled up




**Alu**

In aluminium. removable plates

### The aluminum hulls of the Cadet Rib Alu range

Ultra-lightweight, they can be handled effortlessly. Their large diameter tubes enhance stability and protection from spray, and make it easy to lift off quickly to carry passengers and equipment safely and dry!

Available without front box in sizes 240/270/330/360.  
Or with front box: 300/330/360/390



**AN INTERNATIONAL  
NETWORK OF TRUST**

Present in more than 50 countries around the world, Zodiac Nautic and its 1.600 agents will use all their expertise to support you.

Our network guarantees an efficient and reliable after-sales service: whether you need a new accessory or to replace a lost part, you are sure to find a Zodiac Nautic dealer who will provide you with the expertise you need for your leisure activities.

Our agents often maintain the same boat for over 20 years!

Do not hesitate to consult them: they will be able to advise you when you purchase your boat and then ensure its maintenance. We count on them, they deserve your trust.

Find all our dealers:

**ZODIAC-NAUTIC.COM**

\*CADETS = 2-year guarantee. For conditions and geographical areas of application, please contact your distributor. N-ZO, MEDLINE, PRO, OPEN, YACHTLINE - 5-year guarantee under conditions (2 years at purchase + 3 years if registered in the ZODIAC club). For conditions and geographical areas of application, please contact your distributor.



## JOIN THE ZODIAC CLUB

**YOU ARE  
OUR BEST  
AMBASSADORS!**

Buying a Zodiac means joining a community.

A community of enthusiasts, of pioneers. A community of owners who know that the quality of a boat starts with its design.

That resistance, reliability and robustness go hand in hand with safety and peace of mind.

A community that knows how to share its good ideas, its advice and its experience.

A community that meets around the world for unique events and knows that a Zodiac is much more than just a boat.

**So what are you waiting for?**

→ [CREATE YOUR ACCOUNT ON ZODIAC-NAUTIC.COM](https://www.zodiac-nautic.com)



# TECHNICAL SPECIFICATIONS

	MEDLINE				
	500	580	6.8	7.5	9
<b>DIMENSIONS</b>					
External length (m - ft)	5 - 16'5"	5.80 - 19'	6.88 - 21'8"	7.34 - 24'1"	8.9 - 29'2"
Inside length (m - ft)	4.06 - 13'4"	4.91 - 16'1"	6.34 - 20'8"	6.16 - 20'3"	8.2 - 26'1"
External width (m - ft)	2.24 - 7'4"	2.54 - 8'4"	2.54 - 8'4"	2.90 - 9'6"	3.06 - 10'
Inside width (m - ft)	1.25 - 4'1"	1.44 - 4'9"	1.39 - 4'7"	1.67 - 5'6"	2.03 - 6'8"
Tube diameter (m - ft)	0.50 - 1'8"	0.55 - 1'10"	0.57 - 1'11"	0.6 - 1'12"	0.6 - 1'12"
Hull angle	NC	NC	24°	NC	24°
<b>CAPACITY</b>					
Design category	C	C	C	B + C	B + C
Number of passengers (ISO)	9	12	14	16 (C) - 6 (B)	20 (C) - 8 (B)
Maximum permissible load (kg-lb)	1232 - 2716	1420 - 3131	NC	1730 - 3814 (C) 980 - 2161 (B)	NC
Total weight (kg-lb)	353 - 778	601 - 1325	950 - 2094	1150 - 2535	1850 - 4079
No. of sealed compartments	5	5	5	5	7
<b>PROPULSION</b>					
Shaft	long	extra long	extra long	extra long	1xXXL / 2xXL
Max. permissible power (in hp)	80	115	250	300	1x450 / 2x350
Puissance max. autorisée (en kW)	60	86	NC	220	NC
Max. permissible engine weight (kg-lb)	191 - 421	244 - 537	300 - 661.3	385 - 849	460 (2x348) - 1014 (2x767)


	OPEN	
	5.5	6.5
<b>DIMENSIONS</b>		
External length (m - ft)	5.40 - 17'9"	6.10 - 20'
Inside length (m - ft)	4.22 - 13'10"	4.93 - 16'2"
External width (m - ft)	2.54 - 8'4"	2.54 - 8'4"
Inside width (m - ft)	1.39 - 4'7"	1.39 - 4'7"
Tube diameter (m - ft)	0.575 - 1'11"	0.57 - 1'11"
Hull angle	24°	24°
<b>CAPACITY</b>		
Design category	C	C
Number of passengers (ISO)	12	15
Maximum permissible load (kg-lb)	1410 - 3108	1770 - 3902
Total weight (kg-lb)	585 - 1290	760 - 1676
No. of sealed compartments	5	5
<b>PROPULSION</b>		
Shaft	long	XL
Max. permissible power (in hp)	130	175
Max. permissible power (in kW)	97	131
Max. permissible engine weight (kg-lb)	225 - 496	282 - 622

	PRO					
	420	500	5.5	6.5	7	850
<b>DIMENSIONS</b>						
External length (m - ft)	4.20 - 13'9"	4.70 - 15'5"	5.40 - 17'9"	6.10 - 20'	6.75 - 22'2"	8.50 - 27'11"
Inside length (m - ft)	2.90 - 9'6"	3.38 - 11'1"	4.25 - 13'11"	4.94 - 16'2"	5.71 - 18'9"	7.45 - 24'5"
External width (m - ft)	1.90 - 6'3"	2.05 - 6'9"	2.54 - 8'4"	2.54 - 8'4"	2.54 - 8'4"	3.00 - 9'10"
Inside width (m - ft)	0.95 - 3'1"	1.05 - 3'5"	1.39 - 4'7"	1.39 - 4'7"	1.39 - 4'7"	1.85 - 6'1"
Tube diameter (m - ft)	0.455 - 1'6"	0.50 - 1'8"	0.57 - 1'10"	0.57 - 1'11"	0.57 - 1'10"	0.60 - 1'12"
Hull angle	19°	22°	24°	24°	24°	24°
<b>CAPACITY</b>						
Design category	C	C	C	C	B + C	B + C
Number of passengers (ISO)	7	9	12	15	16 (C) - 5 (B)	25 (C) - 8 (B)
Maximum permissible load (kg-lb)	780 - 1720	1060 - 2337	1550 - 3417	2050 - 4520	1960 - 4321 (C) 1160 - 2557 (B)	2800 - 6173 (C) 2050 - 4519 (B)
Total weight (kg-lb)	181 - 399	230 - 507	430 - 948	610 - 1345	790 - 1741	1450 - 3197
No. of sealed compartments	3	5	5	5	5	7
<b>PROPULSION</b>						
Shaft	long	long	long	XL long	XL en mono L en bimoteur	XXL en mono XL en bimoteur
Max. permissible power (in hp)	50	70	115	175 - 2x90	250 - 2x130	350 - 2x250
Max. permissible power (in kW)	37	52	84	131 - 2x66	183 - 2x95	257 - 2x183
Max. permissible engine weight (kg-lb)	115 - 253	170 - 374	225 - 496	282 - 622 2x220 - 2x440	293 - 645	393 - 866 2x300 - 2x661



# TECHNICAL SPECIFICATIONS

	YACHTLINE			
	360	400	440	490
<b>DIMENSIONS (m - ft)</b>				
External length	3.60 - 11'10"	4.00 - 13'1"	4.40 - 14'5"	4.90 - 16'1"
Inside length	2 - 6'7"	2.4 - 7'11"	2.8 - 9'2"	2.98 - 9'9"
External length	1.77 - 5'10"	1.77 - 5'10"	1.86 - 6'1"	2.05 - 6'9"
Inside width	0.86 - 2'10"	0.86 - 2'10"	0.94 - 3'1"	1.05 - 3'5"
Tube diameter	0.455 - 1'6"	0.455 - 1'6"	0.455 - 1'6"	0.5 - 1'8"
<b>CAPACITY</b>				
Number of passengers (ISO)	4	5	6	9
Maximum permissible load (kg-lb)	605 - 1334	735 - 1620	850 - 1874	945 - 2083
Total weight (kg-lb)	193 - 426	218 - 481	273 - 602	390 - 860
No. of sealed compartments	3	3	3	5
<b>PROPULSION</b>				
Shaft	long	long	long	long
Max. permissible power (in hp)	40	50	60	90
Max. permissible power (en kW)	30	38	45	68
Max. permissible engine weight (kg-lb)	119 - 262	119 - 262	128 - 282	179 - 395





<b>ULTRA-LIGHTWEIGHT CADET RIB ALU</b>					
	240	270	300	330	360
<b>DIMENSIONS (m - ft)</b>					
External length	2.43-8'	2.73-8'11"	3.03-9'11"	3.33-10'11"	3.63-11'11"
Inside length	1.66-5'5"	1.8-6'3"	2.10-6'11"	2.30-7'7"	2.70-8'10"
External length	1.67-5'6"	1.67-5'6"	1.67-5'6"	1.67-5'6"	1.67-5'6"
Inside width	0.78-2'7"	0.78-2'7"	0.78-2'7"	0.78-2'7"	0.78-2'7"
Tube diameter	0.41-1'4"	0.41-1'4"	0.41-1'4"	0.41-1'4"	0.41-1'4"
<b>CAPACITY</b>					
Number of passengers (ISO)	3	4	4+1	5	6
Maximum permissible load (kg-lb)	298-657	396-873	496-1094	551-1.215	600-1341
Total weight (kg-lb)	33-73	37-82	43-95	47-104	50-111
No. of sealed compartments	3	3	3	3	3
<b>PROPULSION</b>					
Shaft	short	short	short	short	short
Max. permissible power (in hp)	6	10	15	15	30
Max. permissible power (en kW)	4.5	8	11	11	22
Max. permissible engine weight (kg-lb)	33-73	51-113	56-124	56-124	89-197

<b>FLAT DECK CADET RIB ALU</b>				
	300	330	360	390
<b>DIMENSIONS (m - ft)</b>				
External length	3.00-9'10"	3.30-10'10"	3.60-11'10"	3.90-12'10"
Inside length	2.10-6'11"	2.30-7'7"	2.70-8'10"	3.00-9'84"
External length	1.67-5'6"	1.67-5'6"	1.67-5'6"	1.67-5'48"
Inside width	0.78-2'7"	0.78-2'7"	0.78-2'7"	0.78-2'56"
Tube diameter	0.41-1'4"	0.41-1'4"	0.41-1'4"	0.41-1'35"
<b>CAPACITY</b>				
Number of passengers (ISO)	5	6	6	7
Maximum permissible load (kg-lb)	463-1021	548-1209	558-1231	643-1418
Total weight (kg-lb)	58-128	62-137	68-150	74-164
No. of sealed compartments	3	3	3	3
<b>PROPULSION</b>				
Shaft	short	short	short	short
Max. permissible power (in hp)	15	15	30	30
Max. permissible power (en kW)	11	11	22	22
Max. permissible engine weight (kg-lb)	56-124	56-124	89-197	89-197

2021

# NEW

## A NEW ERA



### eOPEN

Zodiac + Torqeedo  
eOPEN 3.1 and 3.4

- 1st accessible electric boat
- No maintenance
- No fuel required
- Environmentally friendly
- More than one hour of autonomy
- Exceptional maneuverability

FIND OUT  
MORE HERE



## A REVISITED ICON



OPEN 5.5 and 6.5  
Gulfstream edition

- 4x4 of the sea
- Ultra-modular
- Special serie
- New high-end finishes
- Colours Dark or Light grey

FIND OUT  
MORE HERE







**ZODIAC**  
KEEP EXPLORING

ZODIAC-NAUTIC.COM

